Amphenol SOCAPEX

Product Overview & Capabilities







ABOUT AMPHENOL SOCAPEX



Proven excellence in interconnect solutions

Since 1947, Amphenol Socapex has prescribed, designed and manufactured reliable and innovative interconnection solutions for harsh environments, specializing in standard and customized electrical and fiber optic connectors, contacts, accessories and cabling solutions.

Located in the **Mont Blanc** region of France and Pune in India, Amphenol Socapex has a presence in over 100 countries around the world.

Amphenol Socapex is part of the international **Amphenol Corporation**.



1000+ employees



Net Sales 2020: 81,9 M€ 72% Export - 28% France



Two facilities: Thyez (France), Pune (India)

1947

- Socapex creation in Suresnes, France
- 1st radio connector

1956-57



- Manufacturing unit in Cluses (74) France
- Thomson-CSF becomes primary
- shareholder

Early 1960's



- 1st "licence Bendix" manufactured
- connectors

INNOVATION

- SI Series launch

1973



- New factory 13 000 m² in Thyez (74) France with 250 people

1975



- Production of 38999 connectors

Fiber optics

2014-2017







- New Cable Assembly workshop
- New Contact Manufacturing workshop

Today and tomorrow | New technologies



Miniaturization

Power

Rugged Ethernet

ROHS solutions

Advanced Materials (composite)

INTERNATIONAL EXPERTISE



Our expertise has no boundaries

Integrated Production in France & India

- 24 000 m² manufacturing capacity on 2 sites
- Design centers in France and India
- State-of-the-art manufacturing technology



Our markets



Communication Systems - Radios - C4ISR / Ground vehicles - Vetronics / Marine / Missiles



Commercial & military / Avionics / Engines / Landing gear / Actuators



Today and tomorrow | Sustainable development



Respect for nature and the environment

Recycling Goodwill

Optimization of natural resources

Waste Management

PRODUCING FASTER, SMALLER, STRONGER CONNECTORS...



Technologies & innovation



Engineering Laboratory for product testing and qualification, product expertise and metrology

- Mechanical and electrical skills
- RF and fiber optics expertise



Strong expertise in high-speed signals

- 3D EM simulation software & EM models
- Time Domain and frequency domain (VNA 20GHz, TDR and eye diagram)



Focus on materials expertise and manufacturing techniques to produce faster, smaller and stronger products

- 3D CAD mechanical software, simulation & analysis
- Disruptive metal alloys, additive manufacturing



Sustainable environment approach, with pro-active management of regulations (REACH / RoHS / Conflict minerals...)

- New materials development, plating, and suitable processes
- Recycling and rational resources consumption

Our workshops

Our workshops located in France & India provide consistent quality adapted to your volume requirements.

Tooling : Tools for our different activities : molding, machining, assembly **Molding :** Solid expertise in thermoplastic elastomer and thermoset molding

Machining: Manufacturing of cylindrical shells from 10 to 90 mm in diameter and rectangular shells

Screw Machining: Cylindrical production parts up to 10 mm in diameter

Plating: Plating with cadmium, nickel, electroless nickel, silver, black zinc nickel, gold

Assembly: Connector and harness assembly (electrical & optical)

Our certifications









System Ce

Product certifications: MIL-DTL38999, EN3645, EN3155, VG

Our memberships












Member of CMG (Connecting Manufacturing Group) Consortium

DELIVERING GREAT CUSTOMER EXPERIENCE




▶ We have a strong reputation for helping customers solve their toughest challenges. This approach of serving your needs is ingrained in our company – from our sales team to our product development engineers.

A partner you can trust











Buy our solutions

You can access our solutions through our global network of sales offices or through our distributors.

Field Sales Team:


- 12 in France
- 15 in Europe
- 100+ in North America and rest of the world.
- 5 Business Development Managers supporting local sales force Europe, North America and the rest of the world
- Technical Support & Multilingual Customer Service : 15 people

Worldwide Distribution Network:

Including qualified distributors (QPL approved) for assembling : MIL-DTL-38999, PT/451/VG95328 & Fiber Optics connectors



NOTES



A LARGE RANGE OF INTERCONNECT SOLUTIONS

Table of content



The largest range of rugged Ethernet connectors on the market



Factory tested & ready to install Ethernet Cordsets & Jumpers



Ethernet Switches & Media Converters fully MIL-STD compliant



USB 2.0 & USB 3.0 with a robust design and easy set-up



Connect your equipment to any modern network



The largest range of the market for MIL-DTL-38999 Series I, II, III & EN3645



Derived mounted in MIL-DTL-38999 Series I/III shells to fit your specific needs



Small, high density, lightweight connectors for harsh environments



A large range of contacts for high speed and power applications



Improve your connectors performance or protection





Termini, connectors and cable assembly with expanded Beam or butt joint technology



Additional connectors designed for a wide range of applications



Electrical harnesses engineered to your needs



Network design and evaluation for reliable & secure battlefield communication



RUGGED ETHERNET CONNECTORS



Often imitated never equalled!

- ► We are the original manufacturer of rugged RJ45 connectors, the RJ Field
- ► Custom design and specific solutions available
- ► We have the largest range of rugged Ethernet connectors on the market

MIL-DTL-38999 BASED

CONTACTS FOR STANDARD 38999 CAVITIES















RJF TV





- Based on MIL-DTL-38999 series III/size 19 ► Panel size: 36.53 mm ► Aluminum, Stainless Steel and Marine
- Bronze shell
- No tool cabling: uses standard RJ45



- Cat 5e-1Gb
- MIL-DTL-38999 series III/size 11 & 13 Panel size: 26.19 mm
- Aluminum, composite, stainless steel and
- MILVA Vetronics approved







QUADRAX

- 1 Quadrax Cat5/2 Quadra Compliant with the standard size 8
- connectors cavities Panel size 9: 23.83mm (38999 series III/
- EN3645) Panel size 17: 33.32mm (38999 series III/
- EN3645) Available for MIL-DTL-38999/EN3645/ EN4165/ARINC
- Adaptable for IEEE1394 Firewire, USB2...





SPLIT-PAIR QUADRAX





- Compliant with the standard size 8 connectors cavities
- Panel size 17: 33.32mm (38999 series III/ EN3645)
- Available for MIL-DTL-38999/EN3645/ EN4165
- Several cables already referenced
- Adaptable for SATA 2.0, USB3...



Octonet™ Double Quad Gbe



High speed multi Gb ethe double quadrax connection Fits within standard size 8 cavity of D38999, EN4165, ARINC, EN3645

MINIATURE SOLUTIONS

INDUSTRIAL APPLICATIONS



μCom



- Push-Pull or Threaded versions on same receptacle
- Miniature:15mm max external diameter
- Environmental testing based on MIL-DTL-38999 - III specification
- 2000 Mating cycle



4 pairs individual shielding









2M

- Cat Se-1Gh Push-Pull or Threaded versions
- Miniature:16.51mm max external diameter
- Mil-spec performance for harsh
- 2000 Mating cycles (-16 Plugs) / 500 Cycles





RJF Cat 6 Aluminium

- Circular shell
- Bayonnet coupling Panel size: 33 3mm
- Based on MiL-C-26482 series I/size 18
- ATEX explosion proof versions
 No tool cabling: uses standard RJ45 cordsets











RJFRB/RJF544



- Circular composite shell
- Reverse bayonet & Push pull coupling
- Panel size: 27 4mm & 31mm No tool cabling: uses standard RJ45 cordsets










MILITARY ETHERNET CORDSETS



- ► Factory tested & ready to install Ethernet Cordsets and Jumpers
- ► Large choice of connectors, same tactical Cat5e, Cat6 & Cat7 Ethernet Cables
- JD38999 versions compliant with Vetronics MILVA NGVA standard: NATO General Vehicle Architecture

RJ FIELD TV CORDSETS & JUMPERS



RJF TV CORDSETS WITH TACTICAL ETHERNET CABLE

- 1Gb Cat5e, Cat6
- Reinforced PUR Jacket
- 38999 based RJFTV plug on each side
- Consult us for standard lengths



RJF TV RECEPTACLE WITH RJ45 BACK END

- 1Gb Cat5e, Cat6
- Reinforced PUR Jacket
- RJF TV RJ45 Jumper
- Consult us for standard lengths

µCom CORDSETS & JUMPERS



10 Gb µCom CORDSETS WITH TACTICAL ETHERNET CABLE

- 10 Gb Cat7
- Reinforced PUR Jacket
- Miniature 15mm μCom plug on each side
- Consult us for standard lengths



10Gb µCom RECEPTACLE WITH RJ45 BACK END

- 10 Gb Cat7
- ► Reinforced PUR Jacket
- μCom RJ45 Jumper
- Consult us for standard lengths

MILVA NGVA JD38999 CORDSETS & JUMPERS



QUADRAX CORDSETS & JUMPERS



JD 38999 Series III CORDSETS WITH TACTICAL ETHERNET CABLE

- ▶ 1Gb Cat5e, Cat6
- Reinforced PUR Jacket
- JD 38999 plugs on each side - 1 port: 9-9 & 11-35 (NGVA)
- ≥ 2 ports: 13-35 (NGVA)
- Consult us for standard lengths



JD 38999 Series III RECEP-TACLE WITH RJ45 BACK END

- ► 1Gb Cat5e, Cat6
- Reinforced PUR Jacket
- JD 38999 RJ45 Jumper - 1 port: 9-9 & 11-35 (NGVA)
- 2 ports: 13-35 (NGVA)
- Consult us for standard lengths



QUADRAX CORDSETS WITH RUGGED ETHERNET CABLE

- Differential twinax contact option available on request
- 1Gb Cat5e. Cat6 cables Quadrax contact on each side
- Consult us for standard lengths



QUADRAX CONTACTS WITH RJ45 BACK END

- ► 1Gb Cat5e, Cat6 cables
- Quadrax RJ45 Jumper
- Consult us for standard lengths

RJ45 CORDSETS WITH TACTICAL ETHERNET CABLE



- 1Gb Cat5e, Cat6, 10 Gb Cat6A & Cat7
- Reinforced PUR Jacket
- Halogen free
- Double Shielding
- Cable also available in reels of 100 & 300 m





Amphenol SOCAPEX

ACTIVE INTERCONNECT NETWORK SOLUTIONS



Ethernet Switches & Media Converters

- ► Fully MIL-STD compliant: MIL-STD-810 (environment), MIL-STD-461 (EMI), MIL-STD-704 or MIL-STD-1275 (Power)
- ► Compatible with the newest network protocols
- ► C4ISR applications: soldiers, ground vehicles, navy, drones



RES-GMC-CTOS

- Military Ethernet Media Converter with CTOS
- Up to 2 x 10/100/1000Tx to 2 x 1000 CTOS fiber optic ports up to 50Kms
- Supports PoE (PD or PSE)
- MIL-STD-461 EMI
- MIL-STD-810 Environment
- MIL-STD-704 and MIL-STD-1275 Power



RES-GMC-4CTOS-4RJF

- 4x independent media converters
- CTOS Expanded beam connector STANAG
- Cat 6 Gigabit RJFTV
- → 4 x 1000 CTOS



RES-GMC-TACBeam



- $^{\rm L}$ Up to 2x 10/100/1000Tx to 2x 1000 TACBeam Fiber optic ports up to 50 kms
- TACBeam Expanded beam connector M83526
- MIL-STD-461 EMI
- MIL-STD-810 Environment
- MIL-STD-704 and MIL-STD-1275 Power



RES-SCE-AC-8US



- Miniature Military Ethernet Switch
- 8 x 10/100Tx ports
- MIL-STD-461 EMI
- MIL-STD-810 Environment
- MIL-STD-704 and MIL-STD-1275 Power



RESMLAC-8US



- Unmanaged Military Ethernet Switch
- MIL-DTL-38999 connectors
- 8 x 10/100Tx ports
- MIL-STD-461 EMI
- MIL-STD-810 Environment
- MIL-STD-704 and MIL-STD-1275 Power



RJSMLAC-8MG



- Managed Military Ethernet Switch, RJFTV connectors
- 8 x 10/100/1000Tx ports
- MIL-STD-461 EMI
- MIL-STD-810 Environment
- MIL-STD-704 and MIL-STD-1275 Power

Rugged Ethernet Network Solutions for C4ISR: Design & Evaluation

Amphenol Socapex provides Ethernet Network Solutions for use in harsh environments.

Our Capabilities include:

- ► Network design
- ► Network evaluation
- Network gateways and converters
- ► Measurement equipment



Based on our expertise in harsh environment, we provide the Security & Defense markets with both the **interconnection products** and the **Ethernet network design**. *More details on page 22*



RUGGED USB SOLUTIONS

Robust design with an easy set-up

- ► USB 2.0 and USB 3.0 available
- ▶ Based on MIL-DTL-38999 series III
- Custom design and specific solutions available





- Based on MIL-DTL-38999 series III
- Threaded locking mechanism
- IP 68
- Now available in USB 3.0



REINFORCED USB CABLE

- Reinforced USB cable
- Double shielding (Braid & Foil)
- Halogen free jacket
- Available in USB.A cordset or in 300 meters reel
- Available in USB2.0 and now in USB3.0





- Based on MIL-DTL-38999 series III
- ▶ USB 3.0 for capacities 16, 32 & 64 GB
- ► IP68, -40/+85°C
- MIL-STD-810G vibrations MLC Memory with Wear leveling providing 3000 read/write cycles
 - MTBF: 1,000,000 hours
 - Higher capacities: please consult us



EXTENDER/USB AMPLIFIER

- Based on MIL-DTL-38999 series III
- Dedicated to applications where the USB cable length is longer than 4.8 meters which is the limit of USB specification
- MIL-STD-810G vibrations
- Long distance extender on fiber optic on demand
- For more information, please contact us

USB CORDSETS

Think about solutions, not just components!

- Ready to Install USB Cordsets and Jumpers
- ▶ 3 choices of connectors, same tactical USB 2.0 and USB 3.0 Cables
- JD 38999 versions Compliant with Vetronics MILVA NGVA standard :NATO General Vehicle Architecture



MILVA NGVA USB CORDSETS & JUMPERS





USB FIELD TV CORDSETS & JUMPERS



JD 38999 Series III CORDSETS WITH TACTICAL USB CABLE

- USB 2.0
- Reinforced PUR Jacket
- JD 38999 plugs on each side
- 9-35 layout (NGVA)
- Consult us for standard lengths (5m max)



JD 38999 Series III RECEP-TACLE WITH USB BACK END

- USB2.0
- Reinforced PUR Jacket
- JD 38999 USB Jumper
- 9-35 layout (NGVA)
- Consult us for standard lengths (5m max)



USBF TV CORDSETS WITH TACTICAL USB CABLE

- . USB2.0 & USB 3.0
- Reinforced PUR Jacket
- 38999 based USBFTV plug on each side
- Consult us for standard lengths (5 m max)



USBF TV RECEPTACLE WITH USB BACK END

- USB2.0 & USB 3.0
- Reinforced PUR Jacket
- USBF TV USB Jumper
- · Consult us for standard lengths (5 m max)

USB 2.0 & 3.0 CORDSETS WITH TACTICAL USB CABLE



- USB 2.0 and USB 3.0
- Reinforced PUR Jacket
- Halogen free
- Double shielding
- Consult us for standard lengths (5m max)



NETWORK ADAPTORS



Connect your equipment to any modern network

- ► Allows you to plug your old equipment to new generation platforms or, for existing vehicles/systems, upgrade programs
- ► Turnkey solutions to jump from one connector format to another
- ► Custom design available



38999 SERIES I, II, III / EN3645 CONNECTORS



The world's largest range of 38999 Series I, II, III

- ► The largest range of the market for MIL-DTL-38999 /EN3645 connectors
- Custom design and specific solutions available
- ► Over 100 contact arrangements



LJT connectors

- MIL-DTL-38999 series I and HE308 qualified
- Large variety of contact arrangements and shell types, with maximum weight / space savings
- 100% contact protection
- Metallic and composite version



JT connectors

- MIL-DTL-38999 series II qualified
- Large variety of contact arrangements and shell types, with maximum weight / space savings
- → 100% contact protection
- Metallic and composite version



TV/CTV connectors

- MIL-DTL-38999 series III EN3645 qualified
- Large variety of contact arrangements and shell types, with maximum weight / space savings
- ▶ 100% contact protection
- Metallic and composite version





SJT Series connectors

- Lightweight scoop proof bayonet
- Intermountable with MIL-C-26482 type connectors (same panel cut out)
- Approved to LN29729, VG96912, PAN 6433-2, JN1003

MICROMINIATURE & HIGH DENSITY





38999 Size

- 38999 Micro-miniature
- Derived and compliant with MIL DTL 38999 series III
- Available in High speed version (Coax, twinax, quadrax)





HD38999

- 40% more contacts vs 38999
- The only high density connector which meets or exceeds MIL-DTL-38999 series III performances





Grounded Connectors

- Derived from MIL-DTL-38999 and EN3645
- Metallic insert to maintain ground plane with the connector shell for all the shielded contacts





38999 Reduced Flange Receptacles

- 37% average footprint surface reduction
- 36% average reduction of panel/PCB distance
- 30% in average lighter than standard 38999 stand off receptacle - Performance of MIL-DTL-38999 Series III Connectors










38999 SERIES DERIVED & EXTENSION RANGE



38999 connectors to fit your specific needs

- ► 38999 Derivatives mounted in MIL-DTL-38999 Series III shells
- ► Custom design available on demand
- ► Different finish and ROHS version available

RACK & PANEL









RNJ/RNJLP

- Rack & Panel solutions for harsh environment
- ▶ Very light weight vs ARINC 404 or 600
- Derived from HE308/38999 series I (RNJ) & series III (RNJLP)
- Realignment capability on 3 axis
- ▶ 38999 level sealing with the specific membrane mounting

STAND-OFF



Receptable stand-of



- Allow to fix directly the connector to the board with 3 or 4 screws
- Square flange and jam nut receptacles equipped with PC tail contacts and stand-off
- Prevents any mechanical stress on the contacts terminations

POWER











- Derived from the MIL-DTL-38999 series Equipped with ruggedized power inserts
- up to 500A Available in different shell types



PowerSafe



- Transmit high-power with voltages over 500V (EN61984, EN60664)
- Meet the most stringent requirements of the market regarding user safety
- Designed according to VG96944

OUICK RELEASE



SC39

- Light, small and strong push/pull connected
- derived from MIL-DTL-38999 series III Mating/Unmating forces (excluding contact
- force retention)
- Standard version: from 5 to 10 kilos
- Low force version: less than 5 kilos
- Lanyard version available

ENHANCED SEALING




Receptacle with enhanced sealing

- · Withstand differential pressure with a very low air leakage (10-6)
- Available in male, female versions and with high speed contacts
- Aluminum alloy shells allow lots of geometries



2M MICRO-MINIATURE CONNECTORS



Small, high density, lightweight connectors for harsh environments

- ▶ 71% in weight savings & 52% smaller compared to MIL-DTL-38999
- ► Intermateable with Glenair's Mighty Mouse
- ► Broad family with many styles and options
- ► 7 plating including RoHs
- ► Crimp, solder cup, PC tail



- Limited space
- High density
- Contact: crimp (plug & receptacle) / PCB solder cup (receptacle only)



- √ ¼ Turn Bayonet
- Limited space
- Quick and sensitive connection
- Contact: crimp (plug & receptacle) / PCB solder cup (receptacle only)



- ▶ Push to Mate Limited space
- Quick disconnect
- Contact: crimp (plug & receptacle) / PCB solder cup (receptacle only)



- Friple-Start Thread w/EMI Strap
- Strong EMI
- Strong vibration performance
- Contact: crimp (plug & receptacle) / PCB solder cup (receptacle only)

*Coming soon - Quick delivery on selected part numbers



CONTACTS



Small in size, high in performance

- Strong knowledge in designing and manufacturing contacts including high speed contacts
- ► In-house screw machining and plating ROHS available
- ► 100% made in France



- Several termination available (Crimp, Solder, PC Tail, Compliant pins...)
- MIL-DTL-38999 Series I, II,III / EN3645 / EN4165
- Available further AS39029 and EN3155 standards



Power Contacts

- Size 4 & 8 contacts
- MIL-DTL-38999 Series III / EN3645 / EN4165
- Available further EN3155



Coax Contacts

- 500hms and 750hms available
- Size 8 and 12 available
- Contact adaptation on customer request



Quadrax Contac



- 1 Quadrax Cat5/2 Quadrax Cat5e
- Compliant with the standard quadrax size 8 connector cavities
- Panel size 9: 23.83mm (38999 series III/EN3645)
- Panel size 17: 33.32mm (38999 series III/EN645
- Available for MIL-DTL-38999/EN3645/EN4165/
- Several cables already referenced
- Adaptable for IEEE1394 Firewire, USB2...



Lux-Beam #12 & #16

- Easy-to-clean single expanded beam termini
 Compatibility with multisources connectors
- (38999, EN4165, EN3645) Hybrid solutions possible (mix with electrical contact)
- Size 12 and 16
- Size 16, EN2591 qualified



Twinax Contacts



- Crimp and PC tail version available
- Custom design and adaptation on customer request
- ▶ The right choice for mil-std-1553 and arinc429 protocols Qualified further :
- EN3155-024 and EN3155-025
- M39029/90/91/113/114
- ABS1600, ABS1607, ABS2217



Octonet[™] Double Quad Gbe



- Compliant with the standard quadrax size 8 connector cavities
- ▶ High speed multi Gb ethernet or simply double quadrax connection
- Fits within standard size 8 cavity of D38999, EN4165, ARINC600, EN3545



ACCESSORIES: BACKSHELLS & PROTECTIVE CAPS



Improve your connectors performance or protection

- ► Large range of backshells with many possibilities and plating
- ► Large range of protective caps for plugs and receptacles
- ► QPL & ROHS plating available



Backshells



- Rear accessories in different version: straight, angled, backnuts, cable clamps, EMI, etc
- For EMI version, # termination technologies: braid soldering, clamping, stainless steel band system...



ABS 2216 Composite Backshells

- Lightweight solution, easy installation
- 3 angles available: straight, 45°, and 90°
- EMI protection backshell version
- Amphenol bonus: "kit backshell + connector available"



Standard Caps



- For 38999 Series I, II, III (MIL-DTL-38999) & PT/451 Series (MIL-DTL-26482)
- Protect your plugs and receptacles against dust, water, moisture, EMI and contact bending
- Available with nylon cord, metallic chain or jacketed stainless steel rope
- Large range of material & finish



Rubber Caps



- For 38999 Series I, II, III (MIL-DTL-38999) & PT/451 Series (MIL-DTL-26482)
- Protect your plugs and receptacles against dust, water, moisture, EMI and contact bending
- IP68
- → Material: silicone 200°C







Snap Caps



- Available in composite for PT/451, IP54
 Protection against dust & water spray
- For square flange receptacle and jam nut receptacles
- Selft-Closing after disconnect
- → Aluminum versions IP67 available RJFTV & USBFTV
- Aluminum versions coming soon for 38999
 Series III



BOARD LEVEL CONNECTORS



High-Performance board to board connectors

- ► Ensure a secure data transmission for the most demanding industries
- ► Fast turn around time
- Extreme withstanding to harsh environments



Modul'R



- A unique platform of proven technologies
- Extensive modular interface allowing the combination of all types of signals
- High-speed differential pairs, low-level signal contacts, press-fit power & high-power contacts
- Direct harness modules



HDAS



- environments

 6-tines starclip contact technology
- Robust and simple design
- High-density staggered grid
- High-performance to extreme conditions



Smash



- High-density advanced SEM E modular
- Provide superior modules to backplane interconnects
- Flexible circuit terminations for a higher density



SIAL



- Modular PCB interconnect, which provides various combinations of both signal and HF contacts inserts
- Lateral displacer ± 0.4mm



 Monolithic staggered grid connector, with floating capability feature



HE8/127



- Proven legacy product, which meets various worldwide standard
- Various features, including a wide range of hardware and locking devices



HE7-HE9/254



► The standardized single or double-sided connector range



THERMAL CLAMPS



- Chassis devices, which both help to dissipate components heating and block the daughter cards into the box slots grooves



FIBER OPTICS SOLUTIONS



Innovative fiber optic interconnect solutions

- ► Expanded Beam and butt joint, singlemode & multimode
- ► Termini, connectors, cable assembly
- ▶ 30 years experience in fiber optics for harsh environments



Promi



- Fiber optic solution connection for reduced space
- Easy installation & maintenance
- In Line Miniature Optical Adaptor
- Compact removable splice
- Singlemode & multimode
- EN2591 qualified



Lux-Beam #12 & #16



- Easy-to-clean single expanded beam termini - Compatibility with multisources connectors (38999, EN4165, EN3645)
- Hybrid solutions possible (mix with electrical contact)
- Size 12 and 16
 Size 16, EN2591 qualified



CTOS



- Singlemode & multimode, hermaphroditic fiber optic connector, up to 4 channels
- Expanded beam technology for contactless transmission
- Protective window for easy cleaning
- Design for gloved handling and blind mating in extreme conditions
- Qualified according to NATO/STANAG4290



- Singlemode & multimode, hermaphroditic fiber

▶ Design for gloved handling and blind mating in

Expanded beam technology for contactless

optic connector, up to 8 channels

▶ Protective window for easy cleaning

CTOL

transmission

extreme conditions



TACBEAM®



- Singlemode & multimode, hermaphroditic fiber optic connector, up to 4 channels
- Expanded beam technology for contactless transmission
- M83526/20 & /21 Qualified



FO Drums



- Wide range of drums, accessories and tactical optical cables deployable for harsh environments
- Drums of different capacities up to 2200m,
- Accessory Range for easy storage and deployment of cables.
- ► Tactical cable product range up to 8 singlemode or multimode channels



TVOP



- Fiber optic connector design with 38 999 Séries III shell & Optimised insert for butt joint termini dia. 2.5mm
- Design fo Multimode and Singlemode PC or APC version for high return loss.
- Up to 8 channels



Startop

POM or 29504/dia. 2.5mm





MULTICONTACT & POWER CONNECTORS



- ► We are the original manufacturer of the «Soca», the standard connector for stage lighting
- ► We provide MIL-DTL-26482 Series I subminiature cylindrical connectors



PT-451

- MIL-DTL-26482 Series I subminiature
- cylindrical connectors · Crimp, solder, & PCB contact versions
- · Wide range of backshells and inserts arrangements
- Available with plastic self closing cap option





SL61-Socapex



- 4 types of housing (10, 20, 30 and 40)
- ≥ 26 arrangements from 2 to 61 mixed solder
- Configurations available:plugs, receptacles, line mount receptacles, receptacles with locking ring and crimp contacts.
- RoHS version



ABS2286

- Self-locking plug with sleeves and spacers
- defined in MIL-C-5015/EN2591 Fire smoke and Toxicity compliant further ABD00631



- Blind mate, floating fixing High mating/unmating cycles (up to 5000)
- Power contacts (60 & 200 Amps)
- ► NF F 61-032 approved



- Blind mate, floating fixing
- → High mating/unmating cycles (up to 5000)
- Compliant with NF F 61-032

CABLE ASSEMBLIES - ELECTRICAL AND FIBER OPTICS



Electrical harnesses engineered to your needs

- ► A 400 m² workshop and a team dedicated to harness manufacturing
- ► Field Application Engineers in France at your disposal to listen your needs
- ► Technical support for your products manufacturing engineering
- ► Adjusted work capacity following different production volume



Ruggedized Ethernet network cable assemblies*:

- Ruggedized RJ45 connectors (Amphenol Socapex RJField®)
- Mil/aero connectors with Quadrax, Twinax
- μCom connectors with standard CAT6 or CAT7 patch cable (10Gb+)
- * Can be delivered in addition to our ruggedized Ethernet switches and media converters



Signal and power cable assemblies

- Single or multi phase(s) current up to 500 Amp
- Connectors up to 500 Volts
- Tooling available for high section copper cable
- Tactical Drums



Fiber Optic cable assemblies

- Expanded Beam butt joint
- Single & multimode
- ▶ Drums
- Tactical Drums





All protection sleeving implementation:

- Textile open sleeves
- Corrugated tubing
- Overbraiding
- Heat shrink tubes



Harnesses

- · Overmolded harsh environment wiring harnesses
- For both high and low-temperature applications
- Impervious to high-vibration, high-abrasion, moisture, oil & corrosive elements



- For sizes 7 to 17
- Straight and right angle
- NGVA Ethernet and USB versions





RUGGED ETHERNET NETWORK SOLUTIONS



100% Secure Battlefield Communication

- ► Capabilities includes: network design, evaluation, gateways & converters, measurement equipment
- ► We provide secure communications to battlefield deployments



ABOUT AMPHENOL

Founded in 1932, **Amphenol** is one of the largest manufacturers of interconnect products in the world. The company designs, manufactures, and markets electrical, electronic, and fiber optic connectors, interconnect systems, and coaxial and specialty cables.

Amphenol has a diversified presence as a leader in high growth areas of the interconnect industry and provides solutions for customers in the automotive, broadband, industrial, information technology and data communications, military and aerospace, mobile devices, and mobile networks markets.

More info on www.amphenol.com



Amphenol Military & Aerospace Operations (AMAO) has the largest and broadest selection of interconnect products in the military and aerospace markets.

More info on www.amphenolmao.com

UNITED KINGDOM Amphenol MARTEC



+44 1227 793 733

Europe			
FRANCE	Amphenol AIR LB	2 rue Clément Ader, ZAC de Wé - 08110 Carignan	+33 3 24 22 78 49
FRANCE	Amphenol SEFEE	Z.I. des Cazes – BP243 - 12402 Saint-Affrique Cedex	+33 5 65 98 11 00
GERMANY	Amphenol AIR LB GMBH	Am Kleinbahnhof 4 - 66740 Saarlouis	+49 6831 981 00
ITALY	Amphenol EUROPEAN SALES OPERATIONS	Via Barbaiana n.5 - 20020 Lainate - Milano	+39 293 254 214
UNITED KINGDOM	Amphenol INVOTEC	Unit 1-3, Hedging Lane Industrial Estate, Dosthill - Tamworth, B77 5HH	+44 1827 263 000
UNITED KINGDOM	Amphenol IONIX SYSTEMS	Prospect House, Taylor Business Park, Risley, Warrington, WA3 6HP	+44 1 942 685 200
UNITED KINGDOM	Amphenol LTD	Thanet Way, Whitstable - KENT, CT53JF	+44 1227 773 200

St Augustines Business Park, Swalecliffe Whitstable - Kent CT5 2QJ

North A	merica		
CANADA	Amphenol CANADA	605 Milner avenue - Toronto, Ontario	+1 416 291 0647
USA	Amphenol AEROSPACE OPERATIONS	40-60 Delaware street - Sidney, NY 13838	+1 800 678 0141
USA	Amphenol BORISH TECHNOLOGIES	4511 East Paris AVE - Grand Rapids, MI 49512	+1 616 554 9820
USA	Amphenol FSI	1300 Central Expwy N, Suite 100 - Allen, TX 75013	+1 214 547 2400
USA	Amphenol GRIFFITH ENTERPRISES	6000 East Coury Drive - Cottonwood, AZ 86326	+1 928 634 3685
USA	Amphenol NEXUS TECHNOLOGIES	50 Sunnyside Avenue - Stamford, CT 06902	+1 203 327 7300
USA	Amphenol PCD	72 Cherry Hill Drive - Beverly, MA. 01915	+1 978 624 3400
USA	Amphenol PRINTED CIRCUIT	Board Technology, 91 Northeastern Boulevard - Nashua, NH 03062	+1 603 324 4500
USA	Amphenol SV MICROWAVE	2400 Centrepark West Drive - West Palm Beach, FL	+1 561 840 1800
USA	Amphenol TIMES MICROWAVE	358 Hall Avenue - Wallingford, CT 06492	+1 800 867 2629

Asia			
CHINA	Amphenol PCD CO.	Building 21, 1st Liao Keng Industrial Zone, Shi Yan Street - Bao An District - Shenzhen 518108	+86 755 8173 8000/8286
INDIA	Amphenol INTERCONNECT INDIA	105 Bhosari Industrial Area - Pune 411 026	+91 20 27120363
JAPAN	Amphenol JAPAN	471-1, Deba, Ritto-City - Shiga 520 3041	+81 77 553 8501
KOREA	Amphenol DAESHIN	558 SongNae-Dong SoSa-Gu, Bucheon-city, Kyunggi-Do - 420-130	+81 32 610 3830/3845
SINGAPORE	Amphenol EAST ASIA	26/F, Railway Plaza, 39 Chatham Road South, Tsim Sha Tsui, Kowloon, Hong Kong	+65 6294 2128

Other Areas			
AFRICA	Amphenol AFRICA	30 Impala Rd - Sandton 2146	+27 82 410 5179
ARGENTINA	Amphenol ARGENTINA	Av. Callao 930 2do piso Oficina B "Plaza" C1023 - AAP Buenos Aires	+54 11 4815 6886
AUSTRALIA	Amphenol AUSTRALIA PTY	2 Fiveways Blvd., Keysborough - Melbourne - Victoria 3173	+61 3 8796 8888
BRAZIL	Amphenol DO BRAZIL	Rua Diogo Moreira, 132, 20 andar, rooms 2001-2-3	+55 11 3815 1003
ISRAEL	Amphenol BAR-TEC	3 Hagavish Street, K fir-Barkan Bldg. East Industrial Zone - Kfar-Sava, 44102	+972 9 764 4100
MEXICO	Amphenol OPTIMIZE	Carretera Internacional Km 6.5, Col. Parque Industrial, Nogales, Sonora, C.P. 84094	+52 631 311 160
NEW ZEALAND	Amphenol PHITEK	Level 4, 2 Kingdon Street, Newmarket, Auckland 1023	+64 9 524 2984
RUSSIA	Amphenol RUSSIA	Yaroslavskaja Street 8 - 129164 Moscow	+7 495 937 6341
TURKEY	Amphenol TURKEY	Sun Plaza 15 Kat: 15 Maslak Hah. Bilim Sok. No.5 - Sisli/Istanbul, 34398	+90 212 367 92 19



This catalog uses paper from managed forests, PEFC & FSC labels, and is printed by a printer certified "Imprim" Vert®"

We reserve the right to modify our products in any way we deem necessary.

Any duplication is prohibited, unless approved in writing.