

3DSYSTEMS®



Print3D


Help & Quick start guide
for iOS Systems



Print3D

Help & Quick start guide

Printer Connection



Available Printers

To connect, select printer from list then tap "Use" to connect.

Note: Only when the mobile device and the Printer are on the same subnet address will printers populate this area.

Use Button

Press once printer is selected

Connect with IP

To connect to a printer on a different subnet address, simply type in the printers IP address, tap "Search". A green check will appear indicating the IP is correct. Tap "Use" to connect."





The Status Screen

This is the **Status Screen**. From here you can monitor the printer status, start builds, abort builds, and toggle the lamp.





Print3D Settings screen

Help & Quick start guide



Network

Change the printer name & IP.

Alerts

Email setup.

Printer Connection

Use this option to initially connect to a printer (see page 1) or to change connections to another printer.

User Interface

Date/Time, font size, Language, and Color scheme.

The Settings Screen

This is the **Settings Screen**. From here you can connect to printers, change the printer name & IP, date/Time, font size, Language, and Color scheme, and email setup.





Print3D Prints screen

Help & Quick start guide



Edit

Press to edit to change the build order or delete an entry.



Print queue

A list of all queued builds.

History

A list of all past builds.



The Prints Screen



Support Material

Indicates fill level. Bottles with X's on them means no bottle installed.

Part Material

Indicates fill level. Bottles with X's on them means no bottle installed.

Material Cartridge info

Shows selected support status indicated by blue outline.

Material Cartridge info

Shows selected part status indicated by blue outline.





Print3D

Tools screen

Help & Quick start guide



Printer Info

Software version, Machine type, Mac address, and App version.

Shutdown Printer

Printer shutdown, Printer reboot, and Software restart.

Print Diagnostics

Preconfigured diagnostic test print files

Printer Usage

Machine hours, Build hours, Lamp hours, Part material, and Support material.

The Tools Screen

Troubleshoot





Print3D

Troubleshoot

Help & Quick start guide

If app stops working, or fails to give correct notification, follow these steps to restart Print3D.

1 Double click the home button to open running apps.

2 Tap and hold on the Print3D app, your apps will begin to wiggle.

3 Tap the red circle to end the process then reopen the app



Troubleshoot

Settings
Printer Connection



Create with Confidence



3DSYSTEMS®
www.3DSystems.com